World Journal of Multidisciplinary Research
worldmultidisciplinaryjournal.com
Online ISSN: 3107-9539
Received: 09-09-2026, Accepted: 09-10-2026, Published: 24-10-2026
Volume 2, Issue 4, 2026, Page No. 13-18

Artificial intelligence for intelligent cardiovascular risk prediction and prevention

Su-In Lee
Department of Computer Science and Engineering, University of Washington, Seattle, Washington, USA

Abstract
Cardiovascular diseases remain a leading cause of mortality and disability worldwide, creating an urgent need for effective risk prediction and preventive healthcare strategies. Artificial intelligence (AI) has emerged as a promising approach for analyzing complex medical data, identifying cardiovascular risk factors, and supporting early intervention. This article examines the application of AI and machine learning in intelligent cardiovascular risk prediction and prevention, emphasizing predictive algorithms, clinical applications, and implementation challenges. Techniques such as random forests, support vector machines, gradient boosting, and artificial neural networks can identify patterns within demographic information, clinical measurements, laboratory results, and lifestyle data. These capabilities may support the identification of high-risk individuals and improve the personalization of preventive interventions. Existing research also demonstrates the potential of combining machine learning with explainable artificial intelligence techniques, including Shapley Additive Explanations (SHAP) and Local Interpretable Model-Agnostic Explanations (LIME), to improve the transparency of cardiovascular predictions (Lundberg & Lee, 2017; Ribeiro *et al*., 2016).[5, 9] The article adopts a structured literature review methodology to examine published research on cardiovascular prediction models, risk factors, prevention strategies, and clinical decision support. The reviewed evidence highlights opportunities for improving risk stratification, identifying previously unrecognized patterns, and supporting timely preventive care. However, challenges involving data quality, algorithmic bias, model interpretability, privacy, and generalizability remain significant. Furthermore, predictive performance alone does not establish clinical usefulness, and AI-generated estimates require appropriate validation and professional oversight. The article concludes that responsible integration of artificial intelligence into cardiovascular healthcare may strengthen early risk identification and personalized prevention when supported by representative datasets, rigorous evaluation, and evidence-based clinical practice. AI should complement established medical assessment rather than replace healthcare professionals' judgment.

Keywords: Artificial intelligence, cardiovascular risk prediction, machine learning, cardiovascular disease prevention, predictive analytics

Introduction

India's tribunal system has repeatedly generated the same constitutional anxiety: bodies created to exercise judicial or quasi-judicial power have often remained administratively dependent on the executive departments whose decisions Cardiovascular diseases (CVDs) constitute a major global public health challenge because of their contribution to premature mortality, disability, and healthcare expenditure. These conditions include coronary heart disease, stroke, heart failure, and other disorders affecting the heart and blood vessels. The World Health Organization (WHO, 2025) [11] estimates that approximately 19.8 million people died from cardiovascular diseases in 2022, representing about 32% of all global deaths. Many cardiovascular events are associated with modifiable risk factors, including tobacco use, unhealthy diets, physical inactivity, hypertension, elevated blood glucose, and abnormal blood lipid levels. Early identification of individuals at increased risk is therefore essential for effective prevention and timely clinical intervention. Traditional cardiovascular risk assessment approaches use clinical measurements, patient histories, demographic characteristics, and established statistical models to estimate the likelihood of future cardiovascular events. Tools such as the Framingham risk score have contributed to cardiovascular prevention by helping clinicians assess risk and identify individuals who may benefit from preventive interventions (Detrano *et al*., 1989) [2]. However, risk prediction can be complicated by interactions among numerous biological, behavioral, and environmental factors. Differences in population characteristics, data availability, and clinical settings may also influence the performance of established prediction methods. These limitations have encouraged researchers to investigate additional analytical techniques that can support more comprehensive cardiovascular assessment. Artificial intelligence (AI) offers opportunities to analyze large volumes of healthcare data and identify patterns associated with cardiovascular disease. Machine learning, a major branch of AI, enables computational systems to learn relationships from existing data and use these relationships to generate predictions for new observations. Algorithms such as random forests, support vector machines, gradient boosting, and artificial neural networks can analyze combinations of clinical measurements, laboratory results, medical histories, and lifestyle characteristics. Mohan *et al*. (2019) [6] demonstrated the potential of hybrid machine learning techniques for heart disease prediction, illustrating the relevance of computational methods to cardiovascular assessment. AI-based cardiovascular risk prediction may support preventive healthcare by identifying individuals who require closer monitoring or further clinical evaluation. For example, a predictive model may analyze blood pressure, cholesterol levels, age, smoking status, and diabetes history to estimate an individual's cardiovascular

risk. Such predictions could assist healthcare professionals in prioritizing assessment, discussing lifestyle modifications, and determining whether additional investigations are appropriate. When integrated into clinical workflows, predictive systems may also help organize information from electronic health records and support the identification of patients whose risk factors require attention. Nevertheless, the use of AI in healthcare presents important challenges. Complex algorithms may produce predictions that are difficult to interpret, making it challenging for clinicians to understand the reasons behind a particular risk estimate. Van Smeden *et al*. (2022) [10] emphasize that AI-based cardiovascular prediction models require critical evaluation to determine whether they offer meaningful benefits beyond existing clinical approaches. Predictive accuracy alone is insufficient because models must also demonstrate appropriate calibration, generalizability, and relevance to the intended patient population. Explainable artificial intelligence (XAI) provides techniques for improving the transparency of predictive systems. SHapley Additive exPlanations (SHAP) estimates the contributions of input features to model predictions, while Local Interpretable Model-Agnostic Explanations (LIME) approximates individual predictions using interpretable representations (Lundberg & Lee, 2017; Ribeiro *et al*., 2016) [5, 9]. In cardiovascular applications, these methods may help clinicians understand which recorded characteristics influence a model's estimate. However, explanations do not automatically demonstrate that a prediction is correct or that a particular factor causes cardiovascular disease. AI can also contribute to cardiovascular prevention by supporting the identification and monitoring of modifiable risk factors. Predictive analytics may help healthcare professionals recognize patterns that indicate a need for further assessment, while longitudinal data may reveal changes in risk over time. However, the effectiveness of these applications depends on data quality, access to healthcare, appropriate intervention strategies, and continuing clinical oversight. An algorithm cannot independently ensure that patients receive appropriate preventive treatment. Against this background, this article examines the role of artificial intelligence in intelligent cardiovascular risk prediction and prevention. It reviews machine learning techniques, clinical applications, preventive opportunities, and implementation challenges. The article also considers how explainability, validation, and responsible data use influence the reliability of AI-supported cardiovascular care. Its central objective is to evaluate how AI can support earlier risk identification and more personalized prevention while complementing established clinical knowledge and professional judgment.

Background of the Study

Cardiovascular disease prevention depends on identifying risk factors before serious complications develop. Conventional risk assessment methods rely on clinical examinations, patient histories, laboratory investigations, and established prediction scores. Although these methods support preventive care, the complex interactions among demographic, clinical, behavioral, and environmental variables create opportunities for more advanced analytical approaches. The continuing burden of cardiovascular disease reinforces the need for reliable methods of early identification and risk management (WHO, 2025). Artificial intelligence has gained attention because it can analyze large healthcare datasets and identify patterns that may not be readily apparent through conventional analysis. Machine learning algorithms can combine information such as age, blood pressure, cholesterol, glucose levels, smoking status, and medical history to estimate cardiovascular risk. Previous research has explored hybrid machine learning methods for heart disease prediction, demonstrating the relevance of computational approaches to cardiovascular assessment (Mohan *et al*., 2019) [6]. However, the application of AI requires careful evaluation. Models may generate unreliable predictions when trained on incomplete or unrepresentative data, and their performance may decline when applied to different patient populations. Complex systems can also be difficult to interpret, creating concerns about transparency and clinical trust. Van Smeden *et al*. (2022) [10] emphasize the importance of critically evaluating AI-based cardiovascular prediction models before introducing them into healthcare practice. Consequently, intelligent cardiovascular risk prediction should combine predictive capability with appropriate validation, interpretability, fairness, and clinical relevance. AI may help healthcare professionals identify high-risk individuals and support preventive decisions, but its effectiveness depends on the quality of available evidence and the suitability of the resulting interventions. This study therefore examines how AI can contribute to cardiovascular risk prediction and prevention while addressing the limitations that may affect responsible clinical implementation.

Literature Review

Research into artificial intelligence for cardiovascular risk prediction has expanded alongside the availability of clinical datasets and improvements in computational methods. Existing studies examine the use of machine learning algorithms to identify cardiovascular disease patterns, classify patients according to risk, and support clinical assessment. Mohan *et al*. (2019) [6] investigated hybrid machine learning techniques for heart disease prediction, illustrating how combining computational approaches may improve the analysis of cardiovascular data. Nevertheless, model performance depends on the dataset, prediction objective, and evaluation procedure. Traditional cardiovascular prediction models remain important because they provide established approaches for estimating risk. Detrano *et al*. (1989) [2] investigated a probability algorithm for diagnosing coronary artery disease, contributing to the development of computational cardiovascular assessment. Contemporary AI approaches extend this research by learning patterns from multiple clinical variables. However, more complex models do not necessarily outperform conventional approaches in every setting. Van Smeden *et al*. (2022) [10] emphasize the importance of evaluating the clinical value, calibration, representativeness, and validation

of AI-based cardiovascular prediction models. Different machine learning algorithms provides complementary capabilities. Random forests combine predictions from multiple decision trees, while support vector machines identify decision boundaries between classes. Gradient boosting builds successive models to improve prediction, and artificial neural networks can learn complex nonlinear relationships. The choice of algorithm should reflect the available data, the intended clinical use, and the need for interpretable outputs. Mohan *et al*. (2019) [6] provide an example of research investigating hybrid computational techniques for heart disease prediction. Explainability has become an important consideration in the deployment of AI systems. Lundberg and Lee (2017) [5] introduced SHAP, a framework for explaining predictions through feature contributions. Ribeiro *et al*. (2016) [9] developed LIME to explain individual predictions through local approximations of complex models. In cardiovascular prediction, these techniques may help clinicians understand the influence of recorded variables on risk estimates. However, the explanations depend on the model and data, and they should not be interpreted as proof of causal relationships. Recent studies have investigated the integration of explainable AI into cardiovascular prediction frameworks. Kiran *et al*. (2025) [11] proposed a framework combining machine learning with SHAP and LIME to provide global and individual explanations. Shah *et al*. (2025) examined hybrid ensemble learning and explainable AI for cardiovascular risk prediction. Their research illustrates the potential of combining predictive models with interpretation methods, although findings must be assessed in relation to the datasets and experimental conditions used. Beyond prediction, AI may support prevention through risk stratification, monitoring, and the identification of patients who could benefit from further assessment. Nevertheless, the translation of these capabilities into improved health outcomes requires appropriate clinical workflows and validated interventions. Models may also reproduce bias when training datasets inadequately represent certain populations. The literature therefore suggests that AI can contribute to cardiovascular prediction, but important research gaps remain. These include external validation, fairness, calibration, explanation stability, and evidence of clinical benefit. Future research should evaluate whether AI systems offer meaningful improvements over existing risk scores and whether their predictions lead to better preventive decisions. A responsible approach must consider predictive performance and practical clinical usefulness together.

Methodology

Research Design

This study adopts a structured literature review methodology to examine the application of artificial intelligence in cardiovascular risk prediction and prevention. The design focuses on identifying, evaluating, and synthesizing published research concerning machine learning algorithms, cardiovascular risk factors, predictive performance, preventive applications, and clinical decision support. No new patient data are collected, and no original clinical experiment is conducted.

Data Sources and Search Strategy

Relevant studies are sought from academic databases and scholarly platforms, including PubMed, Scopus, Web of Science, IEEE Xplore, and Google Scholar. Search terms include “artificial intelligence in cardiovascular disease,” “machine learning for cardiovascular risk prediction,” “heart disease prevention,” “predictive analytics in cardiology,” and “explainable artificial intelligence in healthcare.” Boolean operators such as AND and OR can be used to combine search terms and identify relevant publications.

Inclusion and Exclusion Criteria


The review prioritizes peer-reviewed journal articles and conference papers that investigate AI-based cardiovascular prediction, risk assessment, or preventive applications. Studies describing algorithms, datasets, evaluation methods, clinical applications, and model limitations are considered relevant. Publications unrelated to cardiovascular health, lacking sufficient methodological detail, or providing no meaningful contribution to the research objectives are excluded. The actual search dates, publication-period limits, and screening criteria should be documented when the review is conducted.

Data Extraction and Analysis

Information extracted from eligible studies includes publication details, research objectives, dataset characteristics, algorithms, input variables, evaluation metrics, major findings, and reported limitations. The information is organized thematically to compare conventional prediction approaches with machine learning-based methods and to examine their potential applications in prevention. Where reported, measures such as accuracy, sensitivity, specificity, precision, F1-score, area under the receiver operating characteristic curve (AUC-ROC), and calibration are considered. These measures are interpreted according to each study's population, outcome definition, and validation design. Performance figures from different datasets are not treated as directly comparable without appropriate justification.

Ethical Considerations and Limitations

Because the review examines published research, it does not require direct recruitment of patients or primary collection of identifiable health information. Academic integrity is maintained through appropriate citation and accurate reporting of source findings. Ethical considerations include privacy, fairness, transparency, and the potential consequences of inaccurate predictions. The review's conclusions are limited by differences among the included studies, the quality of published evidence, and the completeness of reported methods. The methodology should be finalized using the actual search and screening results rather than presented as a completed systematic review before those steps occur.



Results

The literature synthesis indicates that artificial intelligence offers several opportunities for improving cardiovascular risk prediction and supporting preventive healthcare. The main findings concern predictive modeling, identification of risk factors, explainability, preventive applications, and the limitations affecting clinical implementation. These findings are based on published studies and represent a qualitative synthesis rather than results from a new experimental investigation.

Application of AI Algorithms in Cardiovascular Risk Prediction

The reviewed research identifies random forests, support vector machines, gradient boosting, artificial neural networks, and hybrid ensemble methods as important approaches to cardiovascular prediction. These algorithms can analyze combinations of demographic, clinical, and lifestyle variables to estimate cardiovascular risk. Mohan *et al*. (2019) [6] investigated hybrid machine learning techniques for heart disease prediction, illustrating the potential of combining computational approaches to analyze clinical information. The findings suggest that algorithm selection should depend on the intended prediction task, the characteristics of the dataset, and the evaluation procedure. Random forests can model nonlinear relationships and interactions, while support vector machines can classify observations using learned decision boundaries. Gradient boosting and neural networks can capture complex patterns but may require careful tuning and sufficient training data. No single algorithm should be assumed to provide the best performance across all cardiovascular populations.

Identification of Cardiovascular Risk Factors

The reviewed literature emphasizes the importance of demographic, clinical, and behavioral information in cardiovascular risk prediction. Commonly examined variables include age, blood pressure, cholesterol levels, glucose measurements, smoking status, obesity, diabetes, and medical history. These factors provide information relevant to estimating risk and identifying individuals who may benefit from further assessment. Machine learning can analyze combinations of variables rather than considering each factor independently. This capability may help identify patterns associated with elevated predicted risk. However, the importance assigned to a variable depends on the model, dataset, and outcome being predicted. An association identified by a predictive algorithm does not automatically establish a causal relationship or determine which intervention will produce the greatest clinical benefit.

Predictive Performance and Model Evaluation

The reviewed studies demonstrate that machine learning performance is commonly evaluated using accuracy, sensitivity, specificity, precision, F1-score, and AUC-ROC. These metrics describe different aspects of model performance. For example, sensitivity measures the proportion of positive cases correctly identified, while specificity measures the proportion of negative cases correctly classified. AUC-ROC assesses the model's ability to distinguish between outcome groups across classification thresholds. However, performance metrics must be interpreted in context. Accuracy may be misleading when the dataset contains substantially more low-risk than high-risk cases. Furthermore, a model can discriminate between patients while producing poorly calibrated probability estimates. Van Smeden *et al*. (2022) [10] emphasize that AI-based cardiovascular prediction systems require critical appraisal, appropriate validation, and assessment of their clinical value. Therefore, the literature supports evaluating several complementary measures rather than relying on a single accuracy figure.

Role of Explainable Artificial Intelligence

The reviewed literature identifies explainability as an important consideration for clinical implementation. SHAP can estimate the contributions of individual features to a prediction, while LIME can provide local approximations of

individual model decisions (Lundberg & Lee, 2017; Ribeiro *et al*., 2016) [5, 9]. These approaches may help healthcare professionals understand why a model produces a particular cardiovascular risk estimate. Research by Kiran *et al*. (2025) and Shah *et al*. (2025) illustrates the growing interest in combining machine learning with explanation techniques. Such systems may support clinical review and improve transparency. Nevertheless, explanations can be unstable or incomplete, and an understandable output does not necessarily mean that the underlying prediction is correct. Explanation quality must therefore be evaluated alongside predictive performance.

AI-Supported Cardiovascular Prevention

The findings suggest that AI may support prevention by identifying individuals who require additional assessment, helping prioritize clinical review, and assisting with the monitoring of risk factors over time. Predictive systems may also help healthcare teams organize information from electronic health records and identify patients whose recorded measurements indicate a need for follow-up. These applications depend on whether predictions are linked to appropriate preventive actions. Identifying a high-risk patient does not itself prevent a cardiovascular event. Effective prevention requires clinical evaluation, patient engagement, appropriate lifestyle guidance, and evidence-based treatment when indicated. AI should therefore function as a decision-support resource within a broader preventive healthcare strategy.

Data Quality, Fairness, and Generalizability

The literature highlights several barriers to reliable implementation, including missing data, measurement inconsistencies, class imbalance, demographic bias, and limited external validation. Models trained in one healthcare setting may not perform equally well in another because patient characteristics, disease prevalence, clinical practices, and data collection procedures differ. These concerns are especially important when models are intended for diverse populations. Independent validation and subgroup evaluation are needed to determine whether performance remains acceptable across relevant patient groups. Privacy protection and responsible data governance are also necessary when sensitive medical information is processed.

Summary of Results

Overall, the literature suggests that AI can support cardiovascular risk prediction through complex pattern recognition, risk stratification, and integration of multiple data sources. Explainability techniques may improve the transparency of model outputs, while predictive analytics may help healthcare professionals identify opportunities for preventive intervention. However, the evidence does not establish that every AI model outperforms conventional risk scores or consistently improves patient outcomes. Reliable implementation requires validation, calibration, fairness assessment, clinical oversight, and evidence that predictions contribute to meaningful preventive decisions.

Discussion

The literature synthesis highlights the potential of artificial intelligence to strengthen cardiovascular risk prediction and prevention. By analyzing multiple patient characteristics simultaneously, machine learning algorithms may identify patterns that are difficult to capture through simpler analytical methods. However, the clinical value of these systems depends on whether they provide reliable information that improves decisions rather than merely producing technically sophisticated predictions. One important finding is the need to evaluate machine learning models against established cardiovascular risk assessment approaches. Traditional risk scores remain useful in clinical practice, and introducing a more complex algorithm does not automatically produce better results. Van Smeden *et al.* (2022) [10] emphasize that AI-based prediction models should be evaluated critically, including whether they address a meaningful clinical problem and provide additional value over existing methods. Consequently, future research should compare AI systems with appropriate baseline models using representative datasets and clearly defined outcomes. A second issue concerns the identification of risk factors. Machine learning can analyze variables such as age, blood pressure, cholesterol levels, diabetes, and smoking history in combination. These patterns may help identify patients requiring further assessment. Nevertheless, feature importance must be interpreted carefully. A variable that contributes strongly to a prediction is not necessarily a cause of disease, and changing that variable may not produce the predicted reduction in risk. Clinical decisions should therefore combine model outputs with established evidence, patient circumstances, and professional judgment. Explainability is another important consideration. SHAP and LIME provide ways to investigate the contributions of features to model predictions (Lundberg & Lee, 2017; Ribeiro *et al*., 2016) [5, 9]. These explanations may help clinicians assess the plausibility of predictions and communicate risk estimates to patients. However, explanations can be affected by model assumptions, feature dependence, and sampling procedures. Their presence should not be treated as proof that a system is transparent, fair, or trustworthy. Explanation stability and clinical usefulness require independent evaluation. The implications for prevention are particularly significant. Predictive systems may help healthcare teams identify individuals who could benefit from additional assessment, monitoring, or preventive counseling. Nevertheless, prediction is only one component of prevention. Effective action requires access to appropriate healthcare services, patient understanding, clinical follow-up, and interventions supported by evidence. The usefulness of an AI system should therefore be assessed partly by whether it improves preventive decisions and patient outcomes. Data quality and fairness also require attention. Incomplete records, inconsistent measurements, and underrepresentation of certain populations can reduce model reliability. A system developed using data from one setting may perform differently in another. These limitations may lead to unequal risk estimates or missed cases if they are not identified before deployment. Representative training data, external validation, subgroup analysis, and continuous monitoring are therefore essential. Finally, the review has methodological limitations. The synthesis does not report new experimental findings, and the included studies may differ in datasets, prediction targets, and evaluation procedures. Their results cannot be compared directly without accounting for these differences. Further research should use transparent review procedures and investigate whether AI-based risk assessment provides measurable

improvements over existing approaches. Overall, artificial intelligence offers promising tools for cardiovascular risk prediction, but responsible implementation requires more than algorithmic performance. Systems must be validated, clinically relevant, appropriately explained, and integrated into preventive care with professional oversight. Their success should ultimately be judged by their contribution to reliable decisions and improved cardiovascular health.

Conclusion

Artificial intelligence has considerable potential to strengthen cardiovascular risk prediction and prevention by enabling the analysis of complex clinical information and supporting the early identification of individuals at increased risk. This article examined the application of machine learning algorithms, predictive analytics, and explainable artificial intelligence in cardiovascular healthcare. The reviewed literature indicates that approaches such as random forests, support vector machines, gradient boosting, and artificial neural networks can support the identification of patterns associated with cardiovascular outcomes. However, their practical value depends on data quality, model selection, appropriate validation, and demonstrated clinical usefulness. One major conclusion is that AI may enhance conventional cardiovascular assessment by analyzing combinations of demographic, clinical, and behavioral variables. Information concerning age, blood pressure, cholesterol levels, diabetes, smoking, and other risk factors can help predictive models estimate cardiovascular risk and identify individuals requiring further evaluation. Nevertheless, machine learning systems should be compared with established risk assessment methods to determine whether they offer meaningful improvements. Greater computational complexity should not be assumed to guarantee superior clinical performance (Van Smeden *et al*., 2022) [10]. The review also highlights the importance of transparency in AI-supported healthcare. Explainability techniques such as SHAP and LIME can provide information about the features influencing model predictions, potentially helping clinicians understand individual risk estimates (Lundberg & Lee, 2017; Ribeiro *et al*., 2016) [5, 9]. However, explanations do not independently establish the accuracy of a prediction or prove causal relationships. Consequently, interpretability must be accompanied by rigorous validation and appropriate clinical oversight. Several challenges remain, including incomplete medical records, algorithmic bias, privacy concerns, limited generalizability, and insufficient evidence of improved patient outcomes. Addressing these challenges requires representative datasets, external validation, calibration assessment, fairness evaluation, and responsible data governance. Future research should also examine whether AI-supported prediction improves preventive decisions, patient engagement, and long-term cardiovascular outcomes in real clinical environments. In conclusion, artificial intelligence represents a promising resource for intelligent cardiovascular risk prediction and prevention. Its effective application requires integration with established medical knowledge, evidence-based preventive strategies, and professional judgment. When appropriately developed, validated, and implemented, AI systems may support more personalized risk assessment, timely intervention, and efficient clinical decision-making. Ultimately, the success of AI in cardiovascular healthcare should be determined not only by predictive accuracy but also by its ability to support equitable, reliable, and clinically meaningful improvements in patient care.

References

1. Gagana G, Bhatta KMI, Kavana, Likitha H, Gnanamani H. An intelligent machine learning framework for early cardiovascular disease risk prediction. Journal of Innovations in Data Science and Big Data Management, 2026.
2. Detrano R, Janosi A, Steinbrunn W, Pfisterer M, Schmid JJ, Sandhu S, *et al*. International application of a new probability algorithm for the diagnosis of coronary artery disease. The American Journal of Cardiology,1989:64(5):304–310.
3. Dwivedi AK. Analysis of computational intelligence techniques for diabetes mellitus prediction. Neural Computing and Applications,2018:30:3837–3845.
4. Krittanawong C, Johnson KW, Rosenson RS, Wang Z, Aydar M, Baber U. Deep learning for cardiovascular medicine: A practical primer. European Heart Journal,2019:40(25):2058–2073.
5. Lundberg SM, Lee S-I. A unified approach to interpreting model predictions. In: Advances in Neural Information Processing Systems, 2017, 30.
6. Mohan S, Thirumalai C, Srivastava G. Effective heart disease prediction using hybrid machine learning techniques. IEEE Access,2019:7:81542–81554.
7. Palaniappan S, Awang R. Intelligent heart disease prediction system using data mining techniques. In: 2008 IEEE/ACS International Conference on Computer Systems and Applications. IEEE, 2008, 108–115.
8. Polat K, Şahan S, Güneş S. Automatic detection of heart disease using an artificial immune recognition system (AIRS) with fuzzy resource allocation mechanism and k-NN (nearest neighbour) based weighting preprocessing. Expert Systems with Applications,2007:32(2):625–631.
9. Ribeiro MT, Singh S, Guestrin C. "Why should I trust you?" Explaining the predictions of any classifier. In: Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining, 2016, 1135–1144.
10. Van Smeden M, Heinze G, Van Calster B, Asselbergs FW, Vardas PE, Bruining N, *et al*. Critical appraisal of artificial intelligence-based prediction models for cardiovascular disease. European Heart Journal,2022:43(31):2921–2930.
11. World Health Organization. Cardiovascular diseases (CVDs). 2025 Jul 31.
12. Ahmed M, Sulaiman MH, Hassan MM, Bhuiyan T. Predicting the classification of heart failure patients using optimized machine learning algorithms. IEEE Access, 2025.
13. El-Sofany HF. Predicting heart diseases using machine learning and different data classification techniques. IEEE Access,2024:12:106146–106160.
14. Polat K, Güneş S. A novel hybrid intelligent method based on C4.5 decision tree classifier and one-against-all approach for multi-class classification problems. Expert Systems with Applications,2007:32(2):556–566.
15. Amin SU, Agarwal K, Beg R. Genetic neural network based data mining in prediction of heart disease using risk factors. In: 2013 IEEE Conference on Information and Communication Technologies. IEEE, 2013, 1227–1231.